

Brightsign Plugin Installation manual

July 2025



Contents

First time use

- 02 - Open BA Connected
- 02 - Open example BRS file
- 03 - Upload presentation
- 03 - Switch to BSN Cloud
- 04 - Change customer name
- 04 - Publish to players
- 04 - Player registration

Add Plugin to existing presentations


- 05 - Open existing BA Connected presentation
- 05 - Add supporting files
- 05 - Select and name Sensmi plugin
- 06 - Create Sensmi customer variables
- 06 - Publish to players

Confirming connection to Sensmi

- 07 - Login to Sensmi
- 07 - Navigate to devices
- 07 - Confirm player is online


Open BA:Connected

Ensure that your version of BA:Connected is above 1.62.0




Login to BSN Cloud

1.Ensure you are logged into your BSN Cloud account




Open provided presentation

1.Open the provided
"Sensmi_Plugin_Example"
presentation file.




Upload presentation

- Click the "upload" button




Switch to BSN Cloud

- Change from Local to your BSN Cloud



Open presentation


- Open the example file



Change the customer name

1. Select the Variables dropdown in the presentation settings
2. Open the SensmiCustomer variable
3. Change the "YourCompanyName" to your customers name on the Sensmi platform


CUSTOMER NAME



Publish to your player

- Click "Publish"

PUBLISH




Publish to your player group

1. Select the player group of your choice
2. Click publish

DEVICE GROUP

PUBLISH




Device registration

- Device will restart ½ times
- First time registration will take 2 - 5 minutes depending on player type and OS version
- Device will then be registered on the relevant Sensmi account

2
1


Open existing presentation

- Open one of your existing presentations



Add supporting files

- Add the following 2 files from your cloud storage:
 - "BACon_10..."
 - "Sensmi.zip"




Select and name plugin

- Select the Sensmi node plugin
- Name it correctly as:


NodeSensmisender

Name correctly
NodeSensmisender




Create customer variable

1. Select the Variables dropdown in the presentation settings
2. Add new variable
3. Name the Variable as - SensmiCUSTOMER
4. Set the value as - Customer:XXXXXXXXX
 - a. The XXXXXXXXXX should be your customers name




Publish to your player

- Click "Publish"



Publish to your player group

1. Select the player group of your choice
2. Click publish




Device registration

- Device will restart ½ times
- First time registration will take 2 - 5 minutes depending on player type and OS version
- Device will then be registered on the relevant Sensmi account

Connection confirmation

Login to Sensmi

- Email address & password are required




Navigate to devices

- Click "Devices"
- Confirm your device appears **ONLINE**

Brightsign players will be shown as the following:

LS445 - XXXXXXXXXXXX

With the model number and then the devices serial number



Troubleshooting

Please contact support@sensmi.eu with all device errors.